


PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07D 239/94, 403/12, 401/12, 471/04, A61K 31/505	A1	(11) International Publication Number: WO 99/35132 (43) International Publication Date: 15 July 1999 (15.07.99)
(21) International Application Number: PCT/GB99/00076 (22) International Filing Date: 11 January 1999 (11.01.99) (30) Priority Data: 9800575.4 12 January 1998 (12.01.98) GB (71) Applicant (for all designated States except US): GLAXO GROUP LIMITED [GB/GB]; Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 0NN (GB). (72) Inventors; and (75) Inventors/Applicants (for US only): COCKERILL, George, Stuart [GB/GB]; Glaxo Wellcome plc, Gunnels Wood Road, Stevenage, Hertfordshire SG1 2NY (GB). LACKEY, Karen, Elizabeth [US/US]; Glaxo Wellcome Inc., Five Moore Drive, Research Triangle Park, NC 27709 (US). (74) Agent: REED, Michael, A.; Glaxo Wellcome plc, Glaxo Wellcome House, Berkeley Avenue, Greenford, Middlesex UB6 0NN (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: HETEROCYCLIC COMPOUNDS

(I)

(57) Abstract

Substituted heteroaromatic compounds of formula (I) wherein X is N or CH; Y is CR¹ and V is N; or Y is N and V is CR¹; or Y is CR¹ and V is CR²; or Y is CR² and V is CR¹; R¹ represents a group Q-M-, wherein M is a C₁₋₄ alkylene group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR⁶; or wherein M is a C₅ alkylene group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR⁶.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

HETEROCYCLIC COMPOUNDS

The present invention relates to a series of substituted heteroaromatic compounds, methods for their preparation, pharmaceutical compositions containing them and their use in medicine. In particular, the invention relates to quinoline, quinazoline, pyridopyridine and pyridopyrimidine derivatives which exhibit protein tyrosine kinase inhibition.

Protein tyrosine kinases catalyse the phosphorylation of specific tyrosyl residues in various proteins involved in the regulation of cell growth and differentiation (A.F. Wilks, Progress in Growth Factor Research, 1990, 2, 97-111; S.A. Courtneidge, Dev. Suppl., 1993, 57-64; J.A. Cooper, Semin. Cell Biol., 1994, 5(6), 377-387; R.F. Paulson, Semin. Immunol., 1995, 7(4), 267-277; A.C. Chan, Curr. Opin. Immunol., 1996, 8(3), 394-401). Protein tyrosine kinases can be broadly classified as receptor (e.g. EGFr, c-erbB-2, c-met, tie-2, PDGFr, FGFr) or non-receptor (e.g. c-src, lck, zap70) kinases. Inappropriate or uncontrolled activation of many of these kinase, i.e. aberrant protein tyrosine kinase activity, for example by over-expression or mutation, has been shown to result in uncontrolled cell growth.

Aberrant activity of protein tyrosine kinases, such as c-erbB-2, c-src, c-met, EGFr and PDGFr have been implicated in human malignancies. Elevated EGFr activity has, for example, been implicated in non-small cell lung, bladder and head and neck cancers, and increased c-erbB-2 activity in breast, ovarian, gastric and pancreatic cancers. Inhibition of protein tyrosine kinases should therefore provide a treatment for tumours such as those outlined above.

Aberrant protein tyrosine kinase activity has also been implicated in a variety of other disorders: psoriasis, (Dvir et al, J.Cell.Biol; 1991, 113, 857-865), fibrosis, atherosclerosis, restenosis, (Buchdunger et al, Proc.Natl.Acad.Sci. USA; 1991, 92, 2258-2262), auto-immune disease, allergy, asthma, transplantation rejection (Klausner and Samelson, Cell; 1991, 64, 875-878), inflammation (Berkois, Blood; 1992, 79(9), 2446-2454), thrombosis (Salari et al, FEBS; 1990, 263(1), 104-108) and nervous system diseases (Ohmichi et al, Biochemistry, 1992, 31, 4034-4039). Inhibitors of the specific protein tyrosine kinases involved in these diseases eg PDGF-R in restenosis and EGF-R in psoriasis, should lead to novel therapies for

such disorders. P56lck and zap 70 are indicated in disease conditions in which T cells are hyperactive e.g. rheumatoid arthritis, autoimmune disease, allergy, asthma and graft rejection. The process of angiogenesis has been associated with a number of disease states (e.g. tumourogenesis, psoriasis, rheumatoid arthritis) and
5 this has been shown to be controlled through the action of a number of receptor tyrosine kinases (L.K. Shawver, DDT, 1997, 2(2), 50-63).

It is therefore a general object of the present invention to provide compounds suitable for the treatment of disorders mediated by protein tyrosine kinase activity,
10 and in particular treatment of the above mentioned disorders.

In addition to the treatment of tumours, the present invention envisages that other disorders mediated by protein tyrosine kinase activity may be treated effectively by inhibition, including preferential inhibition, of the appropriate protein tyrosine kinase
15 activity.

Broad spectrum inhibition of protein tyrosine kinase may not always provide optimal treatment of, for example tumours, and could in certain cases even be detrimental to subjects since protein tyrosine kinases provide an essential role in the normal
20 regulation of cell growth.

It is another object of the present invention to provide compounds which preferentially inhibit protein tyrosine kinases, such as EGFr, c-erbB-2, c-erbB-4, c-met, tie-2, PDGFr, c-src, lck, Zap70, and fyn. There is also perceived to be a benefit
25 in the preferential inhibition involving small groups of protein tyrosine kinases, for example groups including two or more of c-erbB-2, c-erbB-4, EGF-R, lck and zap70.

A further object of the present invention is to provide compounds useful in the treatment of protein tyrosine kinase related diseases which minimise undesirable
30 side-effects in the recipient.


The present invention relates to heterocyclic compounds which may be used to treat disorders mediated by protein tyrosine kinases and in particular have anti-cancer properties. More particularly, the compounds of the present invention are potent
35 inhibitors of protein tyrosine kinases such as such as EGFr, c-erbB-2, c-erbB-4, c-

met, tie-2, PDGFr, c-src, lck, Zap70, and fyn, thereby allowing clinical management of particular diseased tissues.

5 The present invention envisages, in particular, the treatment of human malignancies, for example breast, non-small cell lung, ovary, stomach, and pancreatic tumours, especially those driven by EGF-R or erbB-2, using the compounds of the present invention. For example, the invention includes compounds which are highly active against the c-erbB-2 receptor protein tyrosine kinase often in preference to the EGF receptor kinase hence allowing treatment of c-erbB-2 driven tumours. However, the
10 invention also includes compounds which are highly active against both c-erbB-2 and EGF receptor kinases hence allowing treatment of a broader range of tumours.

15 More particularly, the present invention envisages that disorders mediated by protein tyrosine kinase activity may be treated effectively by inhibition of the appropriate protein tyrosine kinase activity in a relatively selective manner, thereby minimising potential side effects.

Accordingly, the present invention provides a compound of formula (I)



20

or a salt or solvate thereof;

wherein X is N or CH;

25

Y is CR¹ and V is N;
or Y is N and V is CR¹;
or Y is CR¹ and V is CR²;
or Y is CR² and V is CR¹;


30

R¹ represents a group Q-M-, wherein M is a C₁₋₄ alkylene group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR⁶; or wherein M is a C₅ alkylene


group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR^6 ;

Q represents a group of formula $\text{Z}-(\text{CH}_2)_p-\text{NR}^6$, wherein p is 1 to 4 and Z is selected from the group comprising $\text{NR}^6\text{S}(\text{O})_m\text{R}^{10}$, $\text{S}(\text{O})_m\text{NR}^8\text{R}^9$, CONR^8R^9 , NR^6COR^7 , $\text{S}(\text{O})_m\text{R}^{10}$ and CO_2R^7 ;

or Q represents a group of formula




or Q represents a group of formula



wherein R^{11} represents NR^8R^9 or OR^{10} ;

or Q represents a group of formula



20 wherein R^6 , R^7 , R^8 and R^9 each independently represent H or C_{1-4} alkyl, and R^{10} represents C_{1-4} alkyl; m is 1 or 2; and n is 1 or 2;


R^2 is selected from the group comprising hydrogen, halo, hydroxy, C_{1-4} alkyl, C_{1-4} alkoxy, C_{1-4} alkylamino and di[C_{1-4} alkyl]amino;

25 U represents phenyl, pyridyl, pyrimidinyl or 3H-imidazolyl or a 9- or 10-membered bicyclic heterocyclic moiety containing one or two nitrogen atoms and optionally containing a further heteroatom selected from oxygen, nitrogen and sulphur, U being

substituted by an R^3 group and optionally substituted by up to three independently selected R^4 groups;

5 R^3 is selected from a group comprising benzyl, halo-, dihalo- and trihalobenzyl, benzoyl, pyridylmethyl, pyridylmethoxy, phenoxy, benzyloxy, halo-, dihalo- and trihalobenzyloxy and benzenesulphonyl;

or R^3 represents a group of formula




10 wherein each R^5 is independently selected from halogen, C_{1-4} alkyl and C_{1-4} alkoxy; and n is 0 to 3;

15 each R^4 is independently hydroxy, halogen, C_{1-4} alkyl, C_{2-4} alkenyl, C_{2-4} alkynyl, C_{1-4} alkoxy, amino, C_{1-4} alkylamino, di[C_{1-4} alkyl]amino, C_{1-4} alkylthio, C_{1-4} alkylsulphinyl, C_{1-4} alkylsulphonyl, C_{1-4} alkylcarbonyl, carboxy, carbamoyl, C_{1-4} alkoxycarbonyl, C_{1-4} alkanoylamino, N -(C_{1-4} alkyl)carbamoyl, N,N -di(C_{1-4} alkyl)carbamoyl, cyano, nitro and trifluoromethyl.

20 Solvates of the compounds of formula (I) are also included within the scope of the present invention.

The definitions for X , Y and V thus give rise to a number of possible basic ring systems for the compounds of formula (I). In particular the compounds may contain the following basic ring systems:

25



It will be seen that for compounds containing the basic ring system (1) the group R^1 may be at the 6- or 7-position; the compounds in which R^1 is in the 6-position are of particular interest in the context of c-erbB-2 and/or EGFr activity.

It will be seen that for compounds containing the basic ring system (2) the group R^1 may be at the 6- or 7-position; the compounds in which R^1 is in the 6-position are of particular interest in the context of c-erbB-2 and/or EGFr activity.

Ring systems (1), (2), (5) and (6) are preferred; ring systems (2) and (6) are more preferred.

Alkyl groups containing three or more carbon atoms may be straight, branched or cyclised; preferably they are straight or branched. References to a specific alkyl group such as "butyl" is intended to refer to the straight chain (n-) isomer only. References to other generic terms such as alkoxy, alkylamino etc. are to be interpreted analogously.

Suitable values for the various groups listed above within the definitions for R^1 , R^2 , R^4 and R^5 are as follows:

halo is, for example, fluoro, chloro, bromo or iodo; preferably it is fluoro, chloro or bromo, more preferably fluoro or chloro;

C_{1-4} alkyl is, for example, methyl, ethyl, propyl, isopropyl, butyl, isobutyl, sec-butyl or tert-butyl; preferably it is methyl, ethyl, propyl, isopropyl or butyl, more preferably methyl;

C₂₋₄ alkenyl is, for example, ethenyl, prop-1-enyl or prop-2-enyl; preferably it is ethenyl;

C₂₋₄ alkynyl is, for example, ethynyl, prop-1-ynyl or prop-2-ynyl; preferably it is ethynyl;

- 5 C₁₋₄ alkoxy is, for example, methoxy, ethoxy, n-propoxy, isopropoxy, n-butoxy, isobutoxy, sec-butoxy or tert-butoxy; preferably it is methoxy, ethoxy, propoxy, isopropoxy or butoxy; more preferably it is methoxy;

C₁₋₄ alkylamino is, for example, methylamino, ethylamino or propylamino; preferably it is methylamino;

- 10 di[C₁₋₄ alkyl]amino is, for example, dimethylamino, diethylamino, N-methyl-N-ethylamino or dipropylamino; preferably it is dimethylamino;

C₁₋₄ alkylthio is, for example, methylthio, ethylthio, propylthio or isopropylthio, preferably methylthio;

- 15 C₁₋₄ alkylsulphinyl is, for example, methylsulphinyl, ethylsulphinyl, propylsulphinyl or isopropylsulphinyl, preferably methylsulphinyl;

C₁₋₄ alkylsulphonyl is, for example, methanesulphonyl, ethylsulphonyl, propylsulphonyl or isopropylsulphonyl, preferably methanesulphonyl;

C₁₋₄ alkylcarbonyl is, for example methylcarbonyl, ethylcarbonyl or propylcarbonyl;

- 20 C₁₋₄ alkoxy carbonyl is, for example, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, butoxycarbonyl or tert-butoxycarbonyl;

C₁₋₄ alkanoylamino (where the number of carbon atoms includes the CO functionality) is, for example, formamido, acetamido, propionamido or butyramido;

N-(C₁₋₄ alkyl)carbamoyl is, for example, N-methylcarbamoyl or N-ethylcarbamoyl;

- 25 N,N-di(C₁₋₄ alkyl)carbamoyl is, for example, N,N-dimethylcarbamoyl, N-methyl-N-ethylcarbamoyl or N,N-diethylcarbamoyl.

- 30 A suitable value for U when it is a 9- or 10-membered bicyclic heterocyclic moiety containing 1 or 2 nitrogen heteroatoms and optionally containing a further heteroatom selected from nitrogen, oxygen and sulphur is, for example, a benzo-fused heterocyclic moiety such as indolyl, indolynyl, isoindolyl, isoindolynyl, indolizynyl, 1H-benzimidazolyl, 2,3-dihydro-1H-benzimidazolyl, 1H-indazolyl, 2,3-dihydro-1H-indazolyl, benzoxazolyl, 2,3-dihydrobenzoxazolyl, benzo[c]isoxazolyl, benzo[d]isoxazolyl, 2,3-dihydrobenzo[d]isoxazolyl, benzothiazoyl, 2,3-dihydrobenzothiazoyl, benzo[c]isothiazoyl, benzo[d]isothiazoyl, 2,3-

dihydrobenzo[d]isothiazolyl, 1H-benzotriazolyl, benzo[c]furazanyl, benzo[c][1,2,3]thiadiazolyl, benzo[d][1,2,3]oxadiazolyl, benzo[d][1,2,3]thiadiazolyl, quinolyl, 1,2-dihydroquinolyl, 1,2,3,4-tetrahydroquinolyl, isoquinolyl, 1,2,3,4-tetrahydroisoquinolyl, cinnolyl, quinazolyl, quinoxalyl, phthalazyl, 4H-1,4-benzoxazyl, 2,3-dihydro-4H-1,4-benzoxazyl, 4H-1,4-benzothiazyl or 2,3-dihydro-4H-1,4-benzothiazyl.

In an especially preferred embodiment X is N, Y is CR¹ and V is CR² (ring system (2) above).

In a further especially preferred embodiment X is N, Y is CR¹ and V is N (ring system (6) above).

In a preferred embodiment R² represents hydrogen or C₁₋₄ alkoxy.

In a more preferred embodiment R² represents hydrogen or methoxy.

In a most preferred embodiment R² represents hydrogen.

In a preferred embodiment p is 1 or 2.

In a preferred embodiment M represents a C₃₋₄ alkylene group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR⁶, wherein R⁶ is methyl or hydrogen, preferably hydrogen; or M represents a C₅ alkylene group in which any carbon atom, other than a carbon atom immediately adjacent the group Q, may be replaced by an oxygen or sulphur atom or by a group NR⁶.

In a more preferred embodiment M represents a C₂₋₄ alkylene group; or M represents a C₅ alkylene group.

In a further more preferred embodiment M represents a C₃₋₄ alkylene group in which a carbon atom, other than the carbon atom immediately adjacent the group Q, is replaced by an oxygen atom or NH group (preferably the carbon atom furthest from the group Q is replaced); or M represents a C₅ alkylene group in which a carbon

atom, other than the carbon atom immediately adjacent the group Q, is replaced by an oxygen atom or NH group (preferably the carbon atom furthest from the group Q is replaced).

5 In a further more preferred embodiment M represents a $-\text{CH}_2-$ group.

In a most preferred embodiment M represents a $-\text{CH}_2\text{CH}_2\text{CH}_2\text{O}-$ group; or M represents a $-\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{O}-$ group.

10 In a further preferred embodiment R^6 represents methyl or hydrogen, more preferably hydrogen.

In a further preferred embodiment Z represents a group $\text{S}(\text{O})_m\text{NR}^8\text{R}^9$, $\text{NR}^6\text{S}(\text{O})_m\text{R}^{10}$ or $\text{S}(\text{O})_m\text{R}^{10}$; wherein m is 1 or 2, more preferably 2; R^8 and R^9 are independently
15 methyl or hydrogen, more preferably both are hydrogen; R^{10} is methyl; R^6 is methyl or hydrogen, more preferably hydrogen.

In a more preferred embodiment Q represents a $\text{CH}_3\text{SO}_2(\text{CH}_2)_{2-3}\text{NH}$, $\text{CH}_3\text{SO}(\text{CH}_2)_{2-3}\text{NH}$, $\text{CH}_3\text{SO}_2(\text{CH}_2)_{2-3}\text{N}(\text{CH}_3)$, $\text{CH}_3\text{SO}(\text{CH}_2)_{2-3}\text{N}(\text{CH}_3)$, $\text{CH}_3\text{SO}_2\text{NH}(\text{CH}_2)_{2-3}\text{NH}$ or
20 $\text{CH}_3\text{SO}_2\text{NH}(\text{CH}_2)_{2-3}\text{N}(\text{CH}_3)$ group.

In an especially preferred embodiment Q represents a group $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{NH}$.

In a further especially preferred embodiment Q represents a group
25 $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)$.


In a further preferred embodiment Z represents a group CONR^8R^9 ; wherein R^8 and R^9 are independently methyl or hydrogen, more preferably both are hydrogen.

30 In another preferred embodiment Z represents a group CO_2R^7 ; wherein R^7 is methyl or hydrogen.

In an especially preferred embodiment Q represents $\text{NH}_2\text{COCH}_2\text{NH}$ or $\text{NH}_2\text{COCH}_2\text{N}(\text{CH}_3)$.

35

In a further preferred embodiment Q represents a group of formula



5 wherein R^6 represents methyl or hydrogen, more preferably hydrogen; m is 2; and R^{10} is methyl.

In a further preferred embodiment R^{11} is NR^8R^9 , wherein R^8 and R^9 are independently methyl or hydrogen, more preferably both are hydrogen.

10 In a further preferred embodiment R^{11} is OR^{10} , wherein R^{10} is tert-butyl.

In an especially preferred embodiment R^1 is $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{NHCH}_2$.

15 In a further especially preferred embodiment R^1 is selected from the group comprising $\text{HO}_2\text{CCH}_2\text{NHCH}_2$, $\text{NH}_2\text{COCH}_2\text{NHCH}_2$ or $\text{NH}_2\text{COCH}_2\text{N}(\text{CH}_3)\text{CH}_2$.

In a further especially preferred embodiment R^1 is selected from the group comprising $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)\text{CH}_2$ or $\text{HO}_2\text{CCH}_2\text{N}(\text{CH}_3)\text{CH}_2$.


20 In a further especially preferred embodiment R^1 is selected from the group comprising $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{NHCH}_2\text{CH}_2\text{CH}_2\text{O}$ or $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}_2\text{O}$.

25 In a further especially preferred embodiment R^1 is selected from the group comprising $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{NHCH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{O}$ or $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{N}(\text{CH}_3)\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{O}$.


In a most preferred embodiment R^1 is $\text{CH}_3\text{SO}_2\text{CH}_2\text{CH}_2\text{NHCH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{O}$.

30 In a further especially preferred embodiment R^1 is a group of formula

11




In a further especially preferred embodiment R^1 is a group of formula



5

In a further preferred embodiment n is 2.

In a further preferred embodiment, when Q represents a group of formula



10

, m is 1.

In a further especially preferred embodiment the group Q is a thiomorpholine-1-oxide-4-yl group.

15 In a preferred embodiment U represents a phenyl, pyridyl, 3H-imidazolyl, indolyl, isoindolyl, indolyl, isoindolyl, 1H-indazolyl, 2,3-dihydro-1H-indazolyl, 1H-benzimidazolyl, 2,3-dihydro-1H-benzimidazolyl or 1H-benzotriazolyl group, substituted by an R^3 group and optionally substituted by up to three independently selected R^4 groups.

20

In a more preferred embodiment U represents a phenyl, indolyl or 1H-indazolyl group substituted by an R^3 group and optionally substituted by up to three, preferably one or two, independently selected R^4 groups.

In an especially preferred embodiment U represents a phenyl or indazolyl group substituted by an R³ group and optionally substituted by up to three, preferably one or two, independently selected R⁴ groups.


- 5 The R³ and R⁴ groups may be bound to the ring system U by either a carbon atom or a heteroatom of the ring system. The ring system itself may be bound to the bridging NH group by a carbon atom or a heteroatom but is preferably bound by a carbon atom. The R³ and R⁴ groups may be bound to either ring when U represents a bicyclic ring system, but these groups are preferably bound to the ring which is not
10 bound to the bridging NH group in such a case.

In a more preferred embodiment, where U represents a phenyl group the group R³ is in the para- position relative to the bond from U to the linking NH group.

- 15 In a preferred embodiment R³ represents benzyl, pyridylmethyl, phenoxy, benzyloxy, halo-, dihalo- and trihalobenzyloxy and benzenesulphonyl.

- In a further preferred embodiment R³ represents benzyl, halo-, dihalo- and trihalobenzyl, pyridylmethyl, phenoxy, benzyloxy, halo-, dihalo- and trihalobenzyloxy
20 and benzenesulphonyl.

In a further preferred embodiment R³ represents a group of formula



- , wherein Hal is Br or Cl, particularly Cl, more especially
25 wherein the Hal substituent is in the position marked with a star in the ring as shown.

In a more preferred embodiment R³ represents benzyloxy, fluorobenzyloxy (especially 3-fluorobenzyloxy), benzyl, phenoxy and benzenesulphonyl.

- 30 In an especially preferred embodiment R³ represents fluorobenzyloxy (especially 3-fluorobenzyloxy).

In another especially preferred embodiment R^3 represents fluorobenzyl (especially 3-fluorobenzyl).

- 5 In a further preferred embodiment the ring U is not substituted by an R^4 group; in an especially preferred embodiment U is phenyl or indazolyl unsubstituted by an R^4 group.

- 10 In a further preferred embodiment U is substituted by an R^4 group, preferably halo, more preferably chloro.

In an especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents benzyloxyphenyl, fluorobenzyloxyphenyl, benzenesulphonylphenyl, benzylindazolyl or phenoxyphenyl.

- 15 In an especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents benzyloxyphenyl, fluorobenzyloxyphenyl, fluorobenzyloxy(chlorophenyl), benzenesulphonylphenyl, benzylindazolyl or phenoxyphenyl.

- 20 In a more especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents benzyloxyphenyl, 3-fluorobenzyloxyphenyl, benzenesulphonylphenyl or benzylindazolyl.

- 25 In a further more especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents fluorobenzylindazolyl (especially 3-fluorobenzylindazolyl).

- 30 In another more especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents benzyloxyphenyl or benzylindazolyl.

In a further more especially preferred embodiment the group U together with the substituent(s) R^3 and R^4 represents 3-fluorobenzyloxyphenyl, 3-fluorobenzylindazolyl or benzenesulphonylphenyl.

- 35

In a most especially preferred embodiment U together with the substituent(s) R^3 and R^4 represents 3-fluorobenzylindazolyl.

In a most preferred embodiment there is provided a compound of formula (I) or a salt or solvate thereof wherein X is N; V is CR^2 , wherein R^2 is hydrogen or methoxy; Y is CR^1 wherein R^1 is a $CH_3SO_2CH_2CH_2NHCH_2$, $NH_2COCH_2NHCH_2$, $NH_2COCH_2N(CH_3)CH_2$, $HO_2CCH_2NHCH_2$, prolinamido-methyl or proline(t-butyl-ester)-methyl group; U is phenyl or indazolyl; R^3 is benzyl or benzyloxy; and R^4 is not present.

In a further most preferred embodiment there is provided a compound of formula (I) or a salt or solvate thereof wherein X is N; V is CR^2 , wherein R^2 is hydrogen or methoxy; Y is CR^1 wherein R^1 is $CH_3SO_2CH_2CH_2NHCH_2CH_2CH_2O$, $CH_3SO_2CH_2CH_2N(CH_3)CH_2CH_2CH_2O$, $CH_3SO_2CH_2CH_2NHCH_2CH_2CH_2CH_2O$ or $CH_3SO_2CH_2CH_2N(CH_3)CH_2CH_2CH_2CH_2O$; U is phenyl or indazolyl; R^3 is benzyl, fluorobenzyl, benzenesulphonyl, benzyloxy or fluorobenzyloxy; and R^4 is not present or is halo (especially chloro).

In a most preferred embodiment there is provided a compound of formula (I) or a salt or solvate thereof wherein X is N; Y is CR^2 , wherein R^2 is hydrogen or methoxy; V is CR^1 wherein R^1 is a $CH_3SO_2CH_2CH_2NHCH_2$, $NH_2COCH_2NHCH_2$, $NH_2COCH_2N(CH_3)CH_2$, $HO_2CCH_2NHCH_2$, prolinamido-methyl or proline(t-butyl-ester)-methyl group; U is phenyl or indazolyl; R^3 is benzyl or benzyloxy; and R^4 is not present.

In a further most preferred embodiment there is provided a compound of formula (I) or a salt or solvate thereof wherein X is N; Y is CR^2 , wherein R^2 is hydrogen or methoxy; V is CR^1 wherein R^1 is $CH_3SO_2CH_2CH_2NHCH_2CH_2CH_2O$, $CH_3SO_2CH_2CH_2N(CH_3)CH_2CH_2CH_2O$, $CH_3SO_2CH_2CH_2NHCH_2CH_2CH_2CH_2O$ or $CH_3SO_2CH_2CH_2N(CH_3)CH_2CH_2CH_2CH_2O$; U is phenyl or indazolyl; R^3 is benzyl, fluorobenzyl, benzenesulphonyl, benzyloxy or fluorobenzyloxy; and R^4 is not present or is halo (especially chloro).

In a further most preferred embodiment there is provided a compound of formula (I) or a salt or solvate thereof wherein X is N; V is N; Y is CR^1 wherein R^1 is a

CH₃SO₂CH₂CH₂NHCH₂, NH₂COCH₂NHCH₂, NH₂COCH₂N(CH₃)CH₂,
 HO₂CCH₂NHCH₂, prolinamido-methyl or proline(*t*-butyl-ester)-methyl group; U is
 phenyl or indazolyl; R³ is benzyl or benzyloxy; and R⁴ is not present.

- 5 In a further most preferred embodiment there is provided a compound of formula (I)
 or a salt or solvate thereof wherein X is N; V is N; Y is CR¹ wherein R¹ is
 CH₃SO₂CH₂CH₂NHCH₂CH₂CH₂O, CH₃SO₂CH₂CH₂N(CH₃)CH₂CH₂CH₂O,
 CH₃SO₂CH₂CH₂NHCH₂CH₂CH₂CH₂O or CH₃SO₂CH₂CH₂N(CH₃)CH₂CH₂CH₂CH₂O; U
 is phenyl or indazolyl; R³ is benzyl, fluorobenzyl, benzenesulphonyl, benzyloxy or
 10 fluorobenzyloxy; and R⁴ is not present or is halo (especially chloro).

Preferred compounds of the present invention include:

- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(methanesulphonyl)ethylaminomethyl)-quinazolin-4-
 yl)amine hydrochloride;
 15 2-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-6-yl)methylamino)acetic acid;
 2-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-6-yl)methylamino)acetamide;
 2-(*N*-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-6-yl)methyl)-*N*-methylamino)-
 acetamide;
 (2*R*)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-6-ylmethyl)pyrrolidine-2-
 20 carboxylic acid *t*-butyl ester;
 (2*S*)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-6-ylmethyl)pyrrolidine-2-
 carboxamide;
 4-(4'-Benzyloxyanilino)-6-(4'-(2"-methanesulphonyl)ethyl)aminobutoxy)quinazoline;
 N-{3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl}-6-(4-[[2-(methanesulphonyl)ethyl]amino]
 25 butoxy)-4-quinazolinamine;
 N-[1-(3-Fluorobenzyl)-1H-indazol-5-yl]-6-(4-[[2-(methanesulphonyl)ethyl]amino]-
 butoxy)-4-quinazolinamine;
 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-
 yl) amine;
 30 6-(4-[[2-(Methanesulphonyl)ethyl]amino]butoxy)-N-[4-(benzenesulphonyl)phenyl]-4-
 quinazolinamine;
 N-[4-(Benzyloxy)phenyl]-6-(3-{methyl[2-(methanesulphonyl)ethyl]amino}propoxy)-4-
 quinazolinamine;
 and salts or solvates thereof, particularly pharmaceutically acceptable salts or
 35 solvates thereof.

Especially preferred compounds of the present invention include:

N-[1-(3-Fluorobenzyl)-1H-indazol-5-yl]-6-(4-[[2-(methanesulphonyl)ethyl]amino]-butoxy)-4-quinazolinamine;

- 5 and salts or solvates thereof, particularly pharmaceutically acceptable salts or solvates thereof.

Other preferred compounds of the present invention include the following compounds (in groups denoted hereafter as Lists 1 and 2)

10

List 1

4-(1-Benzyl-1H-indazol-5-ylamino)-7-(2-(methanesulphonyl)ethylaminomethyl)-quinazoline;

2-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-7-yl)methylamino)acetic acid;

- 15 2-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-7-yl)methylamino)acetamide;

2-(N-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-7-yl)methyl)-N-methylamino)-acetamide;

(2R)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-7-ylmethyl)pyrrolidine-2-carboxylic acid *t*-butyl ester;

- 20 (2S)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)quinazolin-7-ylmethyl)pyrrolidine-2-carboxamide;

List 2

4-(1-Benzyl-1H-indazol-5-ylamino)-6-(2-(methanesulphonyl)ethylaminomethyl)-pyrido[3,4-*d*]pyrimidine;

- 25 2-(4-(1-Benzyl-1H-indazol-5-ylamino)pyrido[3,4-*d*]pyrimidin-6-yl)methylamino)acetic acid;

2-(4-(1-Benzyl-1H-indazol-5-ylamino)pyrido[3,4-*d*]pyrimidin-6-yl)methylamino)-acetamide;

- 30 2-(N-(4-(1-Benzyl-1H-indazol-5-ylamino)pyrido[3,4-*d*]pyrimidin-6-yl)methyl)-N-methylamino)acetamide;

(2R)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)pyrido[3,4-*d*]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxylic acid *t*-butyl ester;

- 35 (2S)-1-(4-(1-Benzyl-1H-indazol-5-ylamino)pyrido[3,4-*d*]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxamide;

List 3

- 4-(4'-Benzyloxyanilino)-7-(4'-(2"-methanesulphonyl)ethyl)aminobutoxy)quinazoline;
N-{3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl}-7-(4-{[2-(methanesulphonyl)ethyl]amino}
butoxy)-4-quinazolinamine;
5 N-[1-(3-Fluorobenzyl)-1H-indazol-5-yl]-7-(4-{[2-(methanesulphonyl)ethyl]amino}-
butoxy)-4-quinazolinamine;
7-(4-{[2-(Methyl)ethyl]amino}butoxy)-N-[4-(benzenesulphonyl)phenyl]-4-quinazolin-
amine;
(4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-
10 yl)amine;
N-[4-(Benzyloxy)phenyl]-7-(3-{methyl[2-(methanesulphonyl)ethyl]amino}propoxy)-4-
quinazolinamine;

List 4

- 15 4-(4'-Benzyloxyanilino)-6-(4'-(2"-methanesulphonyl)ethyl)aminobutoxy)pyrido[3,4-
d]pyrimidine;
N-{3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl}-6-(4-{[2-(methanesulphonyl)ethyl]amino}
butoxy)- pyrido[3,4-d]pyrimidin-6-ylamine;
N-[1-(3-Fluorobenzyl)-1H-indazol-5-yl]-6-(4-{[2-(methanesulphonyl)ethyl]amino}-
20 butoxy)- pyrido[3,4-d]pyrimidin-6-ylamine;
(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-pyrido[3,4-
d]pyrimidin-6-yl)amine;
6-(4-{[2-(Methanesulphonyl)ethyl]amino}butoxy)-N-[4-(benzenesulphonyl)phenyl]-
pyrido[3,4-d]pyrimidin-6-ylamine;
25 N-[4-(Benzyloxy)phenyl]-6-(3-{methyl[2-(methanesulphonyl)ethyl]amino}propoxy)-
pyrido[3,4-d]pyrimidin-6-yl)amine;

and salts or solvates thereof, particularly pharmaceutically acceptable salts or
solvates thereof.

It is considered that the compounds specified in lists 1 and 3 above in which R¹ is in
the 7-position are of particular interest in the context of Ick and/or ZAP-70 activity.

Other preferred compounds of the present invention include the following
35 compounds (in groups denoted hereafter as Lists 5 to 157)

List 5

- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxy-quinazolin-4-yl)amine;
- 5 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxy-quinazolin-4-yl)amine;
- 10 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxyquinazolin-4-yl)amine;
- 15 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxy-quinazolin-4-yl)amine;

List 6

- (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-methoxy-quinazolin-4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-7-methoxy-quinazolin-4-yl)amine;
- 25 (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-7-methoxy-quinazolin-4-yl)amine;
- 30

List 7

- (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butyl)-7-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propyl)-7-methoxy-quinazolin-4-yl)amine;

5 (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;

10 (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

List 8

(4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)-amine;

15 (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(4-(1-oxo-1,λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)-amine;

20 (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

25 (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 9

30 (4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

5 (4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

10 List 10

(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonylethylamino)-ethoxy)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonylethylamino)-butyl)-quinazolin-4-yl)-amine;

15 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonylethylamino)-propyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonylethylamino)-ethyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonylethylamino)-propylamino)-

20 quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonylethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 11

25 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxy-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxyquinazolin-4-yl)amine;

30 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

5

List 12

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propoxy)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-

10 methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;

15 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-7-

20 methoxyquinazolin-4-yl)amine;

List 13

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propoxy)-7-methoxyquinazolin-4-yl)amine;

25 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propyl)-7-

30 methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethyl)-7-

methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propylamino)-7-

methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

List 14

- 5 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;
- 10 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;
- 15 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

20 List 15

- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
- 25 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1,λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- 30 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 16

- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;
- 5 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
- 10 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine
- 15

List 17

- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-6-methoxy-quinazolin-4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-6-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-6-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-6-methoxy-quinazolin-4-yl)amine;
- 25 (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-6-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-6-methoxyquinazolin-4-yl)amine;
- 30 (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-6-methoxy-quinazolin-4-yl)amine;

List 18

- (4-Benzyloxyphenyl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-6-methoxy-quinazolin-4-yl)amine;
- 35

(4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propoxy)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-6-methoxy-quinazolin-4-yl)amine;

5 (4-Benzyloxyphenyl)-(7-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-6-methoxy-quinazolin-4-yl)amine;

10 (4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-6-methoxy-quinazolin-4-yl)amine;

15

List 19

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propoxy)-6-methoxy-quinazolin-4-yl)amine;

20 (4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butyl)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propyl)-6-methoxy-quinazolin-4-yl)amine;

25 (4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethyl)-6-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

30 (4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 20

(4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)-amine;

5 (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)-amine;

10 (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 21

15 (4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)-amine;

20 (4-Benzyloxyphenyl)-(7-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)-amine;

25 (4-Benzyloxyphenyl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

30 List 22

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

5 (4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

10 (4-Benzyloxyphenyl)-(7-(2-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 23

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

15 (1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-6-methoxyquinazolin-4-yl)amine;

20 (1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-6-methoxyquinazolin-4-yl)amine;

25 (1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 24

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1,4,4-thiomorpholin-4-yl)-propoxy)-6-methoxyquinazolin-4-yl)amine;

30 (1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1,4,4-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1,4,4-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

5 (1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

10 List 25

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

15 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

20 (1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

25

List 26

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

30 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;

- 5 (1-Benzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 27

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propoxy)-

- 10 quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

- 15 (1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-

- 20 quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 28

- 25 (1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butyl)-

- 30 quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1,4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
 (1-Benzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1,4,6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

5

List 29

- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 10 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 15 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 20 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 30

- (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,4,4-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 25 (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4,4-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1,4,4-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,4,4-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 30 (4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4,4-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(3-(1-oxo-1,4,4-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 31

- 5 (4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,6-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,6-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1,6-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 10 (4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,6-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,6-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 15 (4-Benzyloxyphenyl)-(6-(3-(1,1-dioxo-1,6-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (4-Benzyloxyphenyl)-(6-(2-(1,1-dioxo-1,6-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

20 List 32

- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 25 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 30 (1-Benzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

35

List 33

- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- 5 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- 10 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-pyrido-
- 15 [3,4-d]pyrimidin-4-yl)amine;

List 34

- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- 20 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-pyrido-
- 25 [3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- 30 (1-Benzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 35

- 4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-7-(2-(methanesulphonyl)ethylamino-
- 35 methyl)quinazoline;

2-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-7-yl)methylamino)acetic acid;

2-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-7-yl)methylamino)-acetamide;

- 5 (2R)-1-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-7-ylmethyl)-pyrrolidine-2-carboxylic acid *t*-butyl ester;
(2S)-1-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-7-ylmethyl)-pyrrolidine-2-carboxamide;

10 List 36

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-6-(2-(methanesulphonyl)ethylamino-methyl)-pyrido[3,4-d]pyrimidine;

2-(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-pyrido[3,4-d]pyrimidin-6-yl)methylamino)acetic acid;

- 15 2-(*N*-(4-(3-Fluorobenzyl-1H-indazol-5-yl amino)-pyrido[3,4-d]pyrimidin-6-yl)methyl)-*N*-methylamino)acetamide;
(2R)-1-(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-pyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxylic acid *t*-butyl ester;
(2S)-1-(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-pyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxamide;
- 20

List 37

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxyquinazolin-4-yl)amine;

- 25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxyquinazolin-4-yl)amine;
- 30 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

List 38

- 5 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;
10 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl-amino)-7-methoxyquinazolin-4-yl)amine;
15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl-amino)-7-methoxyquinazolin-4-yl)amine;

List 39

- (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
20 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;
25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl-amino)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl-amino)-7-methoxyquinazolin-4-yl)amine;
30

List 40

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

5 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

10 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl-amino)-quinazolin-4-yl)amine;

List 41

15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

20 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl-amino)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl-amino)-quinazolin-4-yl)amine;

30 List 42

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

5 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl-amino)-quinazolin-4-yl)amine;

10 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl-amino)-quinazolin-4-yl)amine;

List 43

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-6-methoxyquinazolin-4-yl)amine;

20 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-6-methoxyquinazolin-4-yl)amine;

25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl-amino)-6-methoxyquinazolin-4-yl)amine;

List 44

30 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl-amino)-6-methoxyquinazolin-4-yl)amine;

- 5 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl-amino)-6-methoxyquinazolin-4-yl)amine;

List 45

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

- 10 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

- 15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl-amino)-6-methoxyquinazolin-4-yl)amine;

- 20 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl-amino)-6-methoxyquinazolin-4-yl)amine;

List 46

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-quinazolin-4-yl)amine;

- 25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

- 30 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl-amino)-quinazolin-4-yl)amine;

List 47

- 5 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
10 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl-amino)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl-amino)-quinazolin-4-yl)amine;

20 List 48

- (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
25 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
30 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

35

List 49

- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- 5 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 10 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- 15

List 50

- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- 20 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 25 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1-oxo-1,4-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1,4-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- 30

List 51

- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1,4-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 35

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidine;

5 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidine;

10 List 52

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-pyrido[3,4-d]pyrimidine;

15 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-pyrido[3,4-d]pyrimidine;

20 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-pyrido[3,4-d]pyrimidine;

25

List 53

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1,λ.4-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidine;

30 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(1-oxo-1,λ.4-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1-oxo-1,λ.4-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidine;

5 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidine;

List 54

10 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidine;

15 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidine;

20 (4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidine;

List 55

25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 56

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-(7-(2-(methanesulphonyl)ethylamino-methyl)-quinazoline;

2-(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilinoquinazolin-7-yl)methylamino)acetic acid;

- 5 2-(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilinoquinazolin-7-yl)methylamino)acetamide;
(2R)-1-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino)-quinazolin-7-ylmethyl)pyrrolidine-2-carboxylic acid *t*-butyl ester;
(2S)-1-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino quinazolin-7-ylmethyl)pyrrolidine-2-carboxamide;

10

List 57

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-6-(2-(methanesulphonyl)-ethylamino-methyl)-pyrido[3,4-d]pyrimidine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-pyrido[3,4-d]pyrimidin-6-yl)methyl-amino)-acetic acid;

15

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-pyrido[3,4-d]pyrimidin-6-yl)methylamino)-acetamide;

(2R)-1-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilinopyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxylic acid *t*-butyl ester;

- 20 (2S)-1-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-pyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxamide;

List 58

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxyquinazolin-4-yl)amine;

25

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxyquinazolin-4-yl)amine;

- 30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxyquinazolin-4-yl)amine;

- 35 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

List 59

- 5 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;
10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;
15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

List 60

- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;
25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;
30

List 61

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- 5 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- 10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 62

- 15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
- 20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- 25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 63

- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;
- 30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;

- 5 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 64

- 10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-6-methoxyquinazolin-4-yl)amine;

- 15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-6-methoxyquinazolin-4-yl)amine;

- 20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 65

- 25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

- 30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 66

- 5 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;
- 10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;
- 15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl -(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 67

- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;
- 20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- 25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- 30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 68

- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;
- 5 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;
- 10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 69

- 15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;
- 20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;
- (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;
- 25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

List 70

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;
- 30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;
- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

10 List 71

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

15 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

20 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

List 72

25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

List 73

- 5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
10 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
15 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

20 List 74

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 75

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;

5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;

10 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 76

15 N-[4-(Benzenesulphonyl)anilino]-7-(2-(methanesulphonyl)ethylaminomethyl)-quinazoline;

2- {N-[4-(Benzenesulphonyl)anilino]} quinazolin-7-yl)methylamino)acetic acid;

2-(N-[4-(Benzenesulphonyl)anilino] quinazolin-7-yl)methylamino)acetamide;

20 (2R)-1-(4-(N-[4-(Benzenesulphonyl)phenyl])quinazolin-7-ylmethyl)pyrrolidine-2-carboxylic acid *t*-butyl ester;

(2S)-1-(4-(N-[4-(Benzenesulphonyl)phenyl])quinazolin-7-ylmethyl)pyrrolidine-2-carboxamide;

List 77

25 N-[4-(Benzenesulphonyl)anilino]-6-(2-(methanesulphonyl)ethylaminomethyl)-pyrido[3,4-d]pyrimidine;

2-(N-[4-(Benzenesulphonyl)anilino])pyrido[3,4-d]pyrimidin-6-yl)methylamino)acetic acid;

30 2-(N-[4-(Benzenesulphonyl)anilino])pyrido[3,4-d]pyrimidin-6-yl)methylamino)-acetamide;

(2R)-1-(N-[4-(Benzenesulphonyl)anilino])pyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxylic acid *t*-butyl ester;

(2S)-1-(N-[4-(Benzenesulphonyl)anilino])pyrido[3,4-d]pyrimidin-6-ylmethyl)-pyrrolidine-2-carboxamide;

35

List 78

N-[4-(Benzenesulphonyl)phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

5 N-[4-(Benzenesulphonyl)phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxyquinazolin-4-yl)amine;

10 N-[4-(Benzenesulphonyl)phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

15

List 79

N-[4-(Benzenesulphonyl)phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

20 N-[4-(Benzenesulphonyl)phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;

25 N-[4-(Benzenesulphonyl)phenyl-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

30 List 80

N-[4-(Benzenesulphonyl)phenyl-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxyquinazolin-4-yl)amine;

5 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

10 List 81

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

15 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

20

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 82

25 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

30

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

5

List 83

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

10 N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

15 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propylamino)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-quinazolin-4-yl)amine;

20 List 84

N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(2-methanesulphonyl-ethylamino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

25 N-[4-(Benzenesulphonyl)phenyl]-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-6-methoxyquinazolin-4-yl)amine;

30 N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(2-methanesulphonyl-ethylamino)-propylamino)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

35

List 85

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 86

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-6-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

List 87

N-[4-(Benzenesulphonyl)phenyl-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-quinazolin-4-yl)amine;

- 5 N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-quinazolin-4-yl)amine;

List 88

- 10 N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-quinazolin-4-yl)amine;

- 15 N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-quinazolin-4-yl)amine;

- 20 N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl-amino)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl-amino)-quinazolin-4-yl)amine;

List 89

- 25 N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(4-(2-methanesulphonyl-ethylamino)-butyl)-quinazolin-4-yl)amine;

- 30 N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(2-methanesulphonyl-ethylamino)-propyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(7-(2-(2-methanesulphonyl-ethylamino)-ethyl-amino)-quinazolin-4-yl)amine;

List 90

- 5 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
10 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
15 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;

20 List 91

- N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
25 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
30 N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;

List 92

- N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
- 5 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
- 10 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin-4yl)amine;

List 93

- 15 N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4yl)amine;
- 20 N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1-oxo-1.λ.4-thiomorpholin-4-yl)-propylamino)-pyrido[3,4-d]pyrimidin-4yl)amine;
- 25 N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1-oxo-1.λ.4-thiomorpholin-4-yl)-ethylamino)-pyrido[3,4-d]pyrimidin-4yl)amine;

List 94

- N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propoxy)-pyrido[3,4-d]pyrimidin-4yl)amine;
- 30 N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethoxy)-pyrido[3,4-d]pyrimidin-4yl)amine;
- N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

5 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-propyl-amino)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-ethyl-amino)-pyrido[3,4-d]pyrimidin-4yl)amine;

10 List 95

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethoxy)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

15 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl)-pyrido[3,4-d]pyrimidin-4yl)amine;

20 N-[4-(Benzenesulphonyl)phenyl]-(6-(3-(2-methanesulphonyl-ethylamino)-propyl-amino)-pyrido[3,4-d]pyrimidin-4yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(2-(2-methanesulphonyl-ethylamino)-ethyl-amino)-pyrido[3,4-d]pyrimidin-4yl)amine;

List 96

25 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-7-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-7-methoxy-quinazolin-4-yl)amine;

30 (4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-7-methoxy-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)-amine;

(4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;

List 97

- 5 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-7-methoxyquinazolin-4-yl)amine;
(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;
(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;
10 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;
(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;
15 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

List 98

- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butoxy)-6-methoxyquinazolin-4-yl)amine;
20 (4-Benzyloxyphenyl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-6-methoxyquinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-6-methoxyquinazolin-4-yl)amine;
25 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;
30 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butoxy)-6-methoxyquinazolin-4-yl)amine;

List 99

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butoxy)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butoxy)-6-methoxyquinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butoxy)-6-methoxyquinazolin-4-yl)amine;

5 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

10 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

List 100

(4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

15 (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

20 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butoxy)-pyrido[3,4-d]pyrimidin-4-yl)amine;

25

List 101

4-(1-(3-Fluorobenzyl-1H-indazol-5-yl)amino)-6-(2-methanesulphonyl-ethylamino)-butoxy)-quinazoline;

30 4-(1-(3-Fluorobenzyl-1H-indazol-5-yl)amino)-6-(2-methanesulphonyl-ethylamino)-butoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1,4-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1,4-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

5

List 102

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;

10 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-(6-(4-methanesulphonylethylamino)-butoxy)-pyrido[3,4-d]pyrimidine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonylethylamino)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

15 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

20 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;

List 103

25 N-[4-(Benzenesulphonyl)anilino]-6-(2-methanesulphonylsulphonylethylaminobutoxy)-quinazoline;

N-[4-(Benzenesulphonyl)anilino]-6-(2-methanesulphonylsulphonylethylaminobutoxy)-pyrido[3,4-d]pyrimidine;

30 N-[4-(Benzenesulphonyl)phenyl-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butoxy)-quinazolin-4-yl)amine;

- 5 N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butoxy)-quinazolin-4-yl)amine;

List 104

- 10 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-7-methoxy-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;
- 15 (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;

List 105

- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-7-methoxyquinazolin-4-yl)amine;
- 25 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;
- 30 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

List 106

- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- 5 (4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;
- 10 (4-Benzyloxyphenyl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

15 List 107

- (1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- 20 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-6-methoxyquinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(7-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;
- (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;
- 25 (1-Benzyl-1H-indazol-5-yl)-(7-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

List 108

- 30 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-pyrido-
- 35 [3,4-d]pyrimidin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

(1-Benzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

- 5 (1-Benzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

List 109

- 10 4-(1-(3-Fluorobenzyl-1H-indazol-5-yl)amino)-6-(2-(methanesulphonyl)ethylamino)-butylamino)-quinazoline;

4-(1-(3-Fluorobenzyl-1H-indazol-5-yl)amino)-6-(2-(methanesulphonyl)ethylamino)-butylamino)-pyrido[3,4-d]pyrimidine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

- 15 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

- 20 (4-(3-Fluorobenzyl-1H-indazol-5-yl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

List 110

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;

- 25 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino)-(6-(2-(methanesulphonyl)ethylamino)-butylamino)-pyrido[3,4-d]pyrimidine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-7-methoxyquinazolin-4-yl)amine;

- 30 (4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1,1-dioxo-1.λ.6-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1-oxo-1.λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

(4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;

5

List 111

N-[4-(Benzenesulphonyl)anilino]-6-(4-(2-(methanesulphonyl)ethylamino)butylamino)-quinazoline;

10 N-[4-(Benzenesulphonyl)anilino]-(6-(4-(2-(methanesulphonyl)ethylamino)butylamino)-pyrido[3,4-d]pyrimidine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1,λ.4-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

15 N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butylamino)-7-methoxyquinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1-oxo-1,λ.4-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

20 N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(1,1-dioxo-1,λ.6-thiomorpholin-4-yl)-butylamino)-quinazolin-4-yl)amine;

N-[4-(Benzenesulphonyl)phenyl]-(6-(4-(2-methanesulphonyl-ethylamino)-butylamino)-quinazolin-4-yl)amine;

List 112

25 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

30 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxyquinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxyquinazolin-4-yl)amine;

(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxyquinazolin-4-yl)amine;

35 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)

-7-methoxyquinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-
-7-methoxyquinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-
5 7-methoxyquinazolin-4-yl)amine;

List 113

(4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-
quinazolin-4-yl)amine;
10 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-
quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-
quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-
15 quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-
quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-
quinazolin-4-yl)amine;
20 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-
quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-
quinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)-
25 quinazolin-4-yl)amine;

List 114

(4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-
methoxyquinazolin-4-yl)amine;
30 (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-
methoxyquinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-
methoxyquinazolin-4-yl)amine;
(4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-
35 methoxyquinazolin-4-yl)amine;

- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxyquinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxyquinazolin-4-yl)amine;
- 5 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxyquinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxyquinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;
- 10

List 115

- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazolin-4-yl)amine;
- 15 (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazolin-4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazolin-4-yl)amine;
- 25 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-quinazolin-4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)-quinazolin-4-yl)amine;
- 30

List 116

- (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 5 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 10 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 15 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

List 117

- (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 25 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 30 (4-Benzyloxyphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 35 (4-Benzyloxyphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

pyrido[3,4-d]pyrimidin -4-yl)amine;

List 118

- 5 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 10 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 15 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 20 (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

List 119

- 25 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 30 (4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
- 35

(4-Benzyloxyphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzyloxyphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

5 (4-Benzyloxyphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

List 120

10 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-7-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-7-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-7-methoxyquinazoline;

15 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-7-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-7-methoxyquinazoline;

20 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-7-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-7-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)-7-methoxyquinazoline;

25 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethylamino)-7-methoxyquinazoline;

List 121

30 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-quinazoline;

5 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-quinazoline;

10 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)quinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)ethylamino)quinazoline;

List 122

15 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-6-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-6-methoxyquinazoline;

20 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-6-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-6-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-6-methoxyquinazoline;

25 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-6-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-6-methoxyquinazoline;

30 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)-6-methoxyquinazoline;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethylamino)-6-methoxyquinazoline;

List 123

- 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-quinazoline;
4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-quinazoline;
5 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-quinazoline;
4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-quinazoline;
4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-quinazoline;
10 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-quinazoline;
4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-quinazoline;
15 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)quinazoline;
4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)ethylamino)quinazoline;
- 20 List 124
4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-7-methoxypyrido[3,4-d]pyrimidine;
4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidine;
25 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidine;
4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-7-methoxypyrido[3,4-d]pyrimidine;
4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-7-methoxypyrido[3,4-d]pyrimidine;
30 4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidine;
4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-7-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)-7-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidine;

5

List 125

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-pyrido[3,4-d]pyrimidine;

10

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-pyrido[3,4-d]pyrimidine;

15

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-pyrido[3,4-d]pyrimidine;

20

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)ethylamino)pyrido[3,4-d]pyrimidine;

25

List 126

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-6-methoxypyrido[3,4-d]pyrimidine;

30

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-6-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-6-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-6-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-6-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-6-methoxypyrido[3,4-d]pyrimidine;

5 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-6-methoxypyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)-6-methoxypyrido[3,4-d]pyrimidine;

10 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethylamino)-6-methoxypyrido[3,4-d]pyrimidine;

List 127

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butoxy)-pyrido[3,4-d]pyrimidine;

15 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propoxy)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethoxy)-pyrido[3,4-d]pyrimidine;

20 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-butyl)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-propyl)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)-ethyl)-pyrido[3,4-d]pyrimidine;

25 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)-amino)butylamino)-pyrido[3,4-d]pyrimidine;

4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)-amino)propylamino)pyrido[3,4-d]pyrimidine;

30 4-(1-Benzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)-amino)ethylamino)pyrido[3,4-d]pyrimidine;

List 128

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxyquinazoline;

- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxyquinazoline;
5 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxyquinazoline;
10 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-7-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-7-methoxyquinazoline;
15 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxyquinazoline;

List 129

- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazoline;
20 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazoline;
25 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazoline;
30 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)quinazoline;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)quinazoline;

List 130

- 5 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxyquinazoline;
10 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxyquinazoline;
15 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxyquinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxyquinazoline;
20 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxyquinazoline;

List 131

- 25 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazoline;
30 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazoline;
4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazoline;

- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazoline;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-quinazoline;
- 5 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)quinazoline;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)quinazoline;
- 10 List 132
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- 15 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 20 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- 25 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidine;
- 30 List 133
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidine;

5 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidine;

10 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)pyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)pyrido[3,4-d]pyrimidine;

15

List 134

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxypyrido[3,4-d]pyrimidine;

20 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxypyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxypyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxypyrido[3,4-d]pyrimidine;

25 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxypyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxypyrido[3,4-d]pyrimidine;

30 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxypyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxypyrido[3,4-d]pyrimidine;

4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)-6-methoxypyrido[3,4-d]pyrimidine;

35

List 135

- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidine;
- 5 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidine;
- 10 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidine;
- 15 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)pyrido[3,4-d]pyrimidine;
- 4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)pyrido[3,4-d]pyrimidine;
- 20

List 136

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxyquinazolin-4-yl)amine;
- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxyquinazolin-4-yl)amine;
- 25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;
- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxyquinazolin-4-yl)amine;
- 30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxyquinazolin-4-yl)amine;
- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxyquinazolin-4-yl)amine;
- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-7-methoxyquinazolin-4-yl)amine;
- 35

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-7-methoxyquinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

5

List 137

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazolin-4-yl)amine;

10

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazolin-4-yl)amine;

15

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazolin-4-yl)amine;

20

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-quinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)quinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)quinazolin-4-yl)amine;

25

List 138

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxyquinazolin-4-yl)amine;

30

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxyquinazolin-4-yl)amine;

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxyquinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxyquinazolin-4-yl)amine;
5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxyquinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxyquinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;
10

List 139

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazolin-4-yl)amine;
15 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazolin-4-yl)amine;
20 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazolin-4-yl)amine;
25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-quinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)quinazolin-4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)quinazolin-4-yl)amine;
30

List 140

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
10 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
15 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

List 141

- 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
20 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

List 142

- 5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
10 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
15 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
20 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

List 143

- 25 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;
30 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;
4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-pyrido[3,4-d]pyrimidin-4-yl)amine;

5 4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)pyrido[3,4-d]pyrimidin-4-yl)amine;

4-(3-Chloro-4-[(3-fluorobenzyl)oxy]phenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)ethylamino)pyrido[3,4-d]pyrimidin-4-yl)amine;

10 List 144

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxyquinazolin-4-yl)amine;

15 (4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxyquinazolin-4-yl)amine;

20 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-7-methoxyquinazolin-4-yl)amine;

25 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)-7-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxyquinazolin-4-yl)amine;

30 List 145

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazolin-4-yl)amine;

5 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazolin-4-yl)amine;

10 (4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)-quinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-quinazolin-4-yl)amine;

15

List 146

(4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxyquinazolin-4-yl)amine;

20 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxyquinazolin-4-yl)amine;

25 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxyquinazolin-4-yl)amine;

30 (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-6-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)-6-methoxyquinazolin-4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxyquinazolin-4-yl)amine;

35

List 147

- (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-quinazolin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-quinazolin-4-yl)amine;
- 5 (4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-quinazolin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-quinazolin-4-yl)amine;
- 10 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-quinazolin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-quinazolin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-quinazolin-4-yl)amine;
- 15 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)quinazolin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)quinazolin-4-yl)amine;

20

List 148

- (4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-7-methoxypyrido[3,4-d]pyrimidin-4-yl)amine;
- (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 25 (4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 30 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- (4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;
- 35

(4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-7-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

5

List 149

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

10 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

15 (4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

20 (4-Benzenesulphonylphenyl)-(6-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(6-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

25

List 150

(4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

30 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

5 (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)butylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)propylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

10 (4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)-6-methoxypyrido[3,4-d]pyrimidin -4-yl)amine;

List 151

(4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

15 (4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethoxy)-pyrido[3,4-d]pyrimidin -4-yl)amine;

20 (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethyl)-pyrido[3,4-d]pyrimidin -4-yl)amine;

25 (4-Benzenesulphonylphenyl)-(7-(4-(2-methanesulphonyl-ethyl-(N-methyl)amino)-butylamino)-pyrido[3,4-d]pyrimidin -4-yl)amine;

(4-Benzenesulphonylphenyl)-(7-(3-(2-methanesulphonyl-ethyl-(N-methyl)amino)-propylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

30 (4-Benzenesulphonylphenyl)-(7-(2-(2-methanesulphonyl-ethyl-(N-methyl)amino)-ethylamino)pyrido[3,4-d]pyrimidin -4-yl)amine;

List 152

2-(N-(N-(4-Benzyloxyphenyl)quinazolin-6-yl)methyl)-N-methylamino)acetamide;

35 2-(N-(N-[4-(Benzenesulphonyl)phenyl])quinazolin-6-yl)methyl)-N-methylamino)-acetamide;

2-(*N*-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilinoquinazolin-6-yl)methyl)-*N*-methylamino)acetamide;

2-(*N*-(4-(1-(1-Benzyl-1H-indazol-5-ylamino)-quinazolin-6-yl)methyl)-*N*-methylamino)-acetamide;

5 2-(*N*-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-6-yl)methyl)-*N*-methylamino)acetamide;

List 153

10 2-(*N*-[4-(Benzyloxy)anilino])pyrido[3,4-*d*]pyrimidin-6-yl)methyl)-*N*-methylamino)-acetamide;

2-(*N*-[4-(Benzenesulphonyl)anilino])pyrido[3,4-*d*]pyrimidin-6-yl)methyl)-*N*-methylamino)acetamide;

2-(*N*-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilino-pyrido[3,4-*d*]pyrimidin-6-yl)methyl)-*N*-methylamino)acetamide;

15 2-(4-(1-Benzyl-1H-indazol-5-ylamino)-pyrido[3,4-*d*]pyrimidin-6-yl)methylamino)-acetamide;

2-(4-(3-Fluorobenzyl-1H-indazol-5-ylamino)-pyrido[3,4-*d*]pyrimidin-6-yl)methylamino)acetamide;

20 List 154

2-(*N*-(*N*-(4-Benzoyloxyphenyl)quinazolin-7-yl)methyl)-*N*-methylamino)acetamide;

2-(*N*-(*N*-[4-(Benzenesulphonyl)phenyl])quinazolin-7-yl)methyl)-*N*-methylamino)-acetamide;

25 2-(*N*-((4-(3-Chloro-4-[(3-fluorobenzyl)oxy]anilinoquinazolin-7-yl)methyl)-*N*-methylamino)acetamide;

2-(*N*-(4-(1-(1-Benzyl-1H-indazol-5-ylamino)-quinazolin-7-yl)methyl)-*N*-methylamino)acetamide;

2-(*N*-(4-(1-(3-Fluorobenzyl-1H-indazol-5-ylamino)-quinazolin-7-yl)methyl)-*N*-methylamino)acetamide;

30

List 155

2-(*N*-[4-(Benzyloxy)anilino])pyrido[3,4-*d*]pyrimidin-7-yl)methyl)-*N*-methylamino)-acetamide;

35 2-(*N*-[4-(Benzenesulphonyl)anilino])pyrido[3,4-*d*]pyrimidin-7-yl)methyl)-*N*-methylamino)acetamide;